

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1450 Alexandria, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/039,677	01/04/2002	Stephen Brian Falder	16644/09003CIP	9699
27530 Nelson Mullin	7590 01/26/201 s Riley & Scarborough		EXAM	IINER
IP Department			PRYOR, ALTON NATHANIEL	
100 North Tryon Street 42nd Floor		ART UNIT	PAPER NUMBER	
Charlotte, NC 28202-4000			1616	
			MAIL DATE	DELIVERY MODE
			01/26/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

## Supplemental Notice of Allowability

Application No.	Applicant(s)				
10/039,677	FALDER ET AL.				
xaminer	Art Unit				
ALTON N. PRYOR	1616				

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address-All claims being allowable, PROSECUTION ON THE MERTIS IS (OR REMAINS) CLOSED in this application. If not included
herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS
NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative
of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- This communication is responsive to 7/31/09:11/12/08:7/16/08:1/16/07.
- 2. \(\sum \) The allowed claim(s) is/are \(\frac{1.46,52,53,61,62,70,71,78,82-85,88-92,95-100,105-107,111-113,115-137\) (claims renumbered 1-53 respectively).
- 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) All b) Some\* c) None of the:
    - 1. Certified copies of the priority documents have been received.
    - 2. Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    - Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
  - \* Certified copies not received: . .

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-RONTH PERIOD IS NOT EXTENDABLE.

- 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a)  $\square$  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) hereto or 2) to Paper No./Mail Date .
  - (b) Including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

- 1. Notice of References Cited (PTO-892)
- Notice of Draftperson's Patent Drawing Review (PTO-948)
- Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 6/12/07
- Examiner's Comment Regarding Requirement for Deposit of Biological Material
- 5. Notice of Informal Patent Application
- Interview Summary (PTO-413), Paper No./Mail Date
- 7. X Examiner's Amendment/Comment
- 8. T Examiner's Statement of Reasons for Allowance
- Other See Continuation Sheet.

/Alton N. Pryor/

Primary Examiner, Art Unit 1616

Continuation of Attachment(s) 9. Other: Response to 312 post allowance communication.

Application/Control Number: 10/039,677

Art Unit: 1616

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ms. N. Andrighetti on 1/25/10.

The application has been amended as follows:

In the Specification page 1 after first paragraph insert ---

Brief Description of the Drawings

Figure 1 illustrates the residual P. aeruginosa biofilm recovered after 24 hours for the experimental and control samples.

Figure 2 illustrates the residual E. coli biofilm recovered after 24 hours for the experimental and control samples.

Figure 3 illustrates the toxicity of the surface rinsates for P. aeruginosa for the experimental and control samples.

Figure 4 illustrates the toxicity of the surface rinsates for E. coli for the experimental and control samples.

Background, Summary and Detailed Description of the Invention ---.

## Telephonic Inquiry

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ALTON N. PRYOR whose telephone number is (571)272-0621. The examiner can normally be reached on 8:00 a.m. - 4:30 p.m..

Art Unit: 1616

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Johann Richter can be reached on 571-272-0646. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Alton N. Pryor/ Primary Examiner, Art Unit 1616